


**County Health
Rankings & Roadmaps**

Building a Culture of Health, County by County

A Robert Wood Johnson Foundation program

2015 *County Health Rankings* Ohio



A collaboration between the Robert Wood Johnson Foundation and the University of Wisconsin Population Health Institute.



Support provided by

Robert Wood Johnson Foundation




INTRODUCTION

The *County Health Rankings & Roadmaps* program helps communities identify and implement solutions that make it easier for people to be healthy in their homes, schools, workplaces, and neighborhoods. The Robert Wood Johnson Foundation (RWJF) collaborates with the University of Wisconsin Population Health Institute (UWPHI) to bring this program to cities, counties, and states across the nation. Ranking the health of nearly every county in the nation, the *County Health Rankings* illustrate what we know when it comes to what is making people sick or healthy. The *Roadmaps to Health* and *RWJF Culture of Health Prize* show what we can do to create healthier places to live, learn, work, and play.

WHAT ARE THE COUNTY HEALTH RANKINGS?

Published online at countyhealthrankings.org, the *Rankings* help counties understand what influences how healthy residents are and how long they will live. The *Rankings* are unique in their ability to measure the current overall health of each county in all 50 states. They also look at a variety of measures that affect the future health of communities, such as high school graduation rates, access to healthy foods, rates of smoking, obesity, and teen births. Communities use the *Rankings* to identify and garner support for local health improvement initiatives among government agencies, healthcare providers, community organizations, business leaders, policy makers, and the public.



MOVING FROM DATA TO ACTION

Roadmaps to Health help communities bring people together to look at the many factors that influence health, select strategies that work, and make changes that will have a lasting impact. The *Roadmaps* focus on helping communities move from awareness about their county's ranking to action

to improve people's health. The *Roadmaps to Health* Action Center is a one-stop shop of information to help any community member or leader who wants to improve their community's health by addressing factors that we know influence health, such as education, income, and community safety.

Within the Action Center you will find:

- Online step-by-step guidance and tools to move through the Action Cycle
- *What Works for Health* – a searchable database of evidence-informed policies and programs that can improve health

HOW DO COUNTIES RANK FOR HEALTH OUTCOMES?

The green map below shows the distribution of Ohio's **health outcomes**, based on an equal weighting of length and quality of life.

Lighter colors indicate better performance in the respective summary rankings. Detailed information on the underlying measures is available at countyhealthrankings.org.



County	Rank	County	Rank	County	Rank	County	Rank
Adams	87	Fairfield	15	Licking	31	Portage	17
Allen	35	Fayette	80	Logan	40	Preble	49
Ashland	26	Franklin	52	Lorain	28	Putnam	2
Ashtabula	69	Fulton	21	Lucas	72	Richland	54
Athens	59	Gallia	84	Madison	45	Ross	81
Auglaize	9	Geauga	3	Mahoning	71	Sandusky	39
Belmont	60	Greene	12	Marion	64	Scioto	86
Brown	67	Guernsey	58	Medina	4	Seneca	29
Butler	36	Hamilton	63	Meigs	79	Shelby	32
Carroll	50	Hancock	10	Mercer	11	Stark	41
Champaign	46	Hardin	68	Miami	27	Summit	42
Clark	74	Harrison	76	Monroe	47	Trumbull	77
Clermont	38	Henry	24	Montgomery	70	Tuscarawas	30
Clinton	75	Highland	78	Morgan	61	Union	5
Columbiana	62	Hocking	53	Morrow	55	Van Wert	22
Coshocton	44	Holmes	6	Muskingum	66	Vinton	73
Crawford	43	Huron	34	Noble	25	Warren	7
Cuyahoga	65	Jackson	83	Ottawa	16	Washington	33
Darke	20	Jefferson	82	Paulding	48	Wayne	13
Defiance	18	Knox	37	Perry	51	Williams	14
Delaware	1	Lake	19	Pickaway	57	Wood	8
Erie	56	Lawrence	88	Pike	85	Wyandot	23

HOW DO COUNTIES RANK FOR HEALTH FACTORS?

The blue map displays Ohio's summary ranks for **health factors**, based on weighted scores for health behaviors, clinical care, social and economic factors, and the physical environment.

Lighter colors indicate better performance in the respective summary rankings. Detailed information on the underlying measures is available at countyhealthrankings.org.



County	Rank	County	Rank	County	Rank	County	Rank
Adams	85	Fairfield	13	Licking	32	Portage	33
Allen	57	Fayette	60	Logan	29	Preble	44
Ashland	18	Franklin	46	Lorain	43	Putnam	11
Ashtabula	79	Fulton	20	Lucas	78	Richland	56
Athens	53	Gallia	66	Madison	39	Ross	72
Auglaize	8	Geauga	4	Mahoning	54	Sandusky	40
Belmont	52	Greene	10	Marion	81	Scioto	86
Brown	80	Guernsey	75	Medina	3	Seneca	25
Butler	35	Hamilton	42	Melms	87	Shelby	24
Carroll	47	Hancock	9	Mercer	5	Stark	37
Champaign	31	Hardin	59	Miami	16	Summit	36
Clark	58	Harrison	74	Monroe	67	Trumbull	73
Clermont	19	Henry	15	Montgomery	51	Tuscarawas	45
Clinton	55	Highland	82	Morgan	77	Union	7
Columbiana	62	Hocking	48	Morrow	65	Van Wert	17
Coshocton	61	Holmes	23	Muskingum	63	Vinton	83
Crawford	64	Huron	68	Noble	69	Warren	2
Cuyahoga	50	Jackson	84	Ottawa	38	Washington	28
Darke	21	Jefferson	76	Paulding	41	Wayne	12
Defiance	27	Knox	34	Perry	71	Williams	22
Delaware	1	Lake	14	Pickaway	49	Wood	6
Erie	30	Lawrence	70	Pike	88	Wyandot	26

2015 COUNTY HEALTH RANKINGS: MEASURES AND NATIONAL/STATE RESULTS

Measure	Description	US Median	State Overall	State Minimum	State Maximum
HEALTH OUTCOMES					
Premature death	Years of potential life lost before age 75 per 100,000 population	7681	7466	4160	11040
Poor or fair health	% of adults reporting fair or poor health	17%	15%	6%	29%
Poor physical health days	Average # of physically unhealthy days reported in past 30 days	3.7	3.7	1.5	8.8
Poor mental health days	Average # of mentally unhealthy days reported in past 30 days	3.5	3.8	1.5	6.2
Low birthweight	% of live births with low birthweight (< 2500 grams)	8%	8.6%	4.8%	10.9%
HEALTH FACTORS					
HEALTH BEHAVIORS					
Adult smoking	% of adults who are current smokers	21%	21%	12%	40%
Adult obesity	% of adults that report a BMI ≥ 30	31%	30%	25%	37%
Food environment index	Index of factors that contribute to a healthy food environment, (0-10)	7.3	7.1	5.3	8.9
Physical inactivity	% of adults aged 20 and over reporting no leisure-time physical activity	27%	26%	20%	37%
Access to exercise opportunities	% of population with adequate access to locations for physical activity	65%	83%	28%	96%
Excessive drinking	% of adults reporting binge or heavy drinking	16%	18%	10%	31%
Alcohol-impaired driving deaths	% of driving deaths with alcohol involvement	31%	36%	13%	75%
Sexually transmitted infections	# of newly diagnosed chlamydia cases per 100,000 population	291	460	70	820
Teen births	# of births per 1,000 female population ages 15-19	41	36	10	61
CLINICAL CARE					
Uninsured	% of population under age 65 without health insurance	17%	14%	7%	25%
Primary care physicians	Ratio of population to primary care physicians	2015:1	1336:1	14911:1	827:1
Dentists	Ratio of population to dentists	2670:1	1746:1	8758:1	1061:1
Mental health providers	Ratio of population to mental health providers	1128:1	716:1	13276:1	438:1
Preventable hospital stays	# of hospital stays for ambulatory-care sensitive conditions per 1,000 Medicare enrollees	65.3	72	42	125
Diabetic monitoring	% of diabetic Medicare enrollees ages 65-75 that receive HbA1c monitoring	85%	84%	74%	93%
Mammography screening	% of female Medicare enrollees ages 67-69 that receive mammography screening	61%	60.3%	41.2%	68.2%
SOCIAL AND ECONOMIC FACTORS					
High school graduation	% of ninth-grade cohort that graduates in four years	85%	82%	50%	97%
Some college	% of adults ages 25-44 with some post-secondary education	56%	62.7%	22.8%	82.9%
Unemployment	% of population aged 16 and older unemployed but seeking work	7%	7.4%	4.5%	12.5%
Children in poverty	% of children under age 18 in poverty	24%	23%	6%	36%
Income inequality	Ratio of household income at the 80th percentile to income at the 20th percentile	4.4	4.7	3.5	6.6
Children in single-parent households	% of children that live in a household headed by single parent	31%	35%	7%	45%
Social associations	# of membership associations per 10,000 population	12.6	11.5	6.0	21.7
Violent crime	# of reported violent crime offenses per 100,000 population	199	307	25	781
Injury deaths	# of deaths due to injury per 100,000 population	73.8	62	35	121
PHYSICAL ENVIRONMENT					
Air pollution – particulate matter	Average daily density of fine particulate matter in micrograms per cubic meter (PM2.5)	11.9	13.5	13.0	14.1
Drinking water violations	% of population potentially exposed to water exceeding a violation limit during the past year	1.0%	4%	0%	50%
Severe housing problems	% of households with overcrowding, high housing costs, or lack of kitchen or plumbing facilities	14%	15%	7%	23%
Driving alone to work	% of workforce that drives alone to work	80%	83%	52%	90%
Long commute – driving alone	Among workers who commute in their car alone, % commuting > 30 minutes	29%	29%	15%	54%

2015 COUNTY HEALTH RANKINGS: DATA SOURCES AND YEARS OF DATA

	Measure	Data Source	Years of Data
HEALTH OUTCOMES			
Length of Life	Premature death	National Center for Health Statistics – Mortality files	2010-2012
Quality of Life	Poor or fair health	Behavioral Risk Factor Surveillance System	2006-2012
	Poor physical health days	Behavioral Risk Factor Surveillance System	2006-2012
	Poor mental health days	Behavioral Risk Factor Surveillance System	2006-2012
	Low birthweight	National Center for Health Statistics – Natality files	2006-2012
HEALTH FACTORS			
HEALTH BEHAVIORS			
Tobacco Use	Adult smoking	Behavioral Risk Factor Surveillance System	2006-2012
Diet and Exercise	Adult obesity	CDC Diabetes Interactive Atlas	2011
	Food environment index	USDA Food Environment Atlas, Map the Meal Gap	2012
	Physical inactivity	CDC Diabetes Interactive Atlas	2011
	Access to exercise opportunities	Business Analyst, Delorme map data, ESRI, & US Census Tigerline Files	2010 & 2013
Alcohol and Drug Use	Excessive drinking	Behavioral Risk Factor Surveillance System	2006-2012
	Alcohol-impaired driving deaths	Fatality Analysis Reporting System	2009-2013
Sexual Activity	Sexually transmitted infections	National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention	2012
	Teen births	National Center for Health Statistics – Natality files	2006-2012
CLINICAL CARE			
Access to Care	Uninsured	Small Area Health Insurance Estimates	2012
	Primary care physicians	Area Health Resource File/American Medical Association	2012
	Dentists	Area Health Resource File/National Provider Identification file	2013
	Mental health providers	CMS, National Provider Identification file	2014
Quality of Care	Preventable hospital stays	Dartmouth Atlas of Health Care	2012
	Diabetic monitoring	Dartmouth Atlas of Health Care	2012
	Mammography screening	Dartmouth Atlas of Health Care	2012
SOCIAL AND ECONOMIC FACTORS			
Education	High school graduation	data.gov, supplemented w/ National Center for Education Statistics	2011-2012
	Some college	American Community Survey	2009-2013
Employment	Unemployment	Bureau of Labor Statistics	2013
Income	Children in poverty	Small Area Income and Poverty Estimates	2013
	Income inequality	American Community Survey	2009-2013
Family and Social Support	Children in single-parent households	American Community Survey	2009-2013
	Social associations	County Business Patterns	2012
Community Safety	Violent crime	Uniform Crime Reporting – FBI	2010-2012
	Injury deaths	CDC WONDER mortality data	2008-2012
PHYSICAL ENVIRONMENT			
Air and Water Quality	Air pollution – particulate matter ¹	CDC WONDER environmental data	2011
	Drinking water violations	Safe Drinking Water Information System	FY2013-14
Housing and Transit	Severe housing problems	Comprehensive Housing Affordability Strategy (CHAS) data	2007-2011
	Driving alone to work	American Community Survey	2009-2013
	Long commute – driving alone	American Community Survey	2009-2013

¹ Not available for AK and HI.

Pike (PK)

	Pike County	Error Margin	Top U.S. Performers*	Ohio	Rank (of 88)
Health Outcomes					85
Length of Life					87
Premature death	10,913	9,502-12,325	5,200	7,466	
Quality of Life					84
Poor or fair health	20%	13-30%	10%	15%	
Poor physical health days	5.5	3.6-7.3	2.5	3.7	
Poor mental health days	5.6	3.1-8.0	2.3	3.8	
Low birthweight	8.9%	7.8-10.0%	5.9%	8.6%	
Health Factors					88
Health Behaviors					66
Adult smoking	26%	16-40%	14%	21%	
Adult obesity	32%	25-40%	25%	30%	
Food environment index	5.9		8.4	7.1	
Physical inactivity	30%	23-38%	20%	26%	
Access to exercise opportunities	65%		92%	83%	
Excessive drinking			10%	18%	
Alcohol-impaired driving deaths	24%		14%	36%	
Sexually transmitted infections	228		138	460	
Teen births	61	55-67	20	36	
Clinical Care					78
Uninsured	14%	13-16%	11%	14%	
Primary care physicians	3,560:1		1,045:1	1,336:1	
Dentists	2,364:1		1,377:1	1,746:1	
Mental health providers	3,546:1		386:1	716:1	
Preventable hospital stays	115	102-128	41	72	
Diabetic monitoring	83%	74-91%	90%	84%	
Mammography screening	64.5%	53.9-75.2%	70.7%	60.3%	
Social & Economic Factors					88
High school graduation	83%			82%	
Some college	40.2%	34.2-46.3%	71.0%	62.7%	
Unemployment	12.5%		4.0%	7.4%	
Children in poverty	36%	27-45%	13%	23%	
Income inequality	4.7	4.0-5.4	3.7	4.7	
Children in single-parent households	45%	33-56%	20%	35%	
Social associations	10.2		22.0	11.5	
Violent crime	42		59	307	
Injury deaths	88	73-103	50	62	
Physical Environment					86
Air pollution - particulate matter	13.2		9.5	13.5	
Drinking water violations	37%		0%	4%	
Severe housing problems	18%	15-21%	9%	15%	
Driving alone to work	85%	82-89%	71%	83%	
Long commute - driving alone	37%	32-43%	15%	29%	

* 90th percentile, i.e., only 10% are better.

Note: Blank values reflect unreliable or missing data

2015